

# PC

---

Design by Pierre Charpin



PC is a refined and precisely engineered task lamp with a polycarbonate head, aluminium arms and ABS base. The design conceals gas springs that enable the arms and head to hold their position wherever they are moved. An integrated touch dimmer switch with memory automatically turns off after five hours.

## PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A family of multifunctional task lamps that can be used free standing, desk, clamp and wall mounted.
- / CE approved.
- / Integrated LED module included with an estimated life span of 25.000 hours of use.
- / Integrated touch dimmer switch.
- / Concealed gas springs.
- / The lamp is suitable for both private and office environments.
- / Qualified for contract use as a task light.

# HAY

MATERIAL

LAMP BODY / Extruded aluminium arms with die cast aluminium joints.

LAMP SHADE / Injection moulded polycarbonate (PC).

LAMP BASE / Injection moulded ABS cover with internal sand cast iron counter weight. Powder coated steel base with foam pad protector underneath.

CORD / Silicone cable.

COLOUR

Please note that the colour codes are indicative.

- Available in 4 different colours
- / Soft black (RAL 9004)
  - / Ash grey (RAL 7035)
  - / Leaf green (Pantone 350C)
  - / Warm yellow (RAL 1023)

Note that fixings, gaskets, soft TPE components and the cable are black for all colour options.

COLOUR COMBINATIONS

COLOUR \	Double Arm Body	Single Arm Body	Free standing table base	Clamp	Wall bracket
Soft black	●	●	●	●	●
Ash grey	●	●	●	●	●
Leaf green	●		●		
Warm yellow	●		●		

COLOUR



#### DIMENSIONS / DOUBLE ARM

/ WIDTH 14 cm / 5.5"  
/ DEPTH 55 cm / 21.7"  
/ HEIGHT 42 cm / 16.5"

#### DIMENSIONS / FREE STANDING TABLE BASE

/ WIDTH 15 cm / 5.90"  
/ DEPTH 15 cm / 5.90"  
/ HEIGHT 3,5 cm / 1.37"

#### DIMENSIONS / CLAMP

/ WIDTH 6 cm / 2.4"  
/ DEPTH 7 cm / 2.8"  
/ HEIGHT 19 cm / 7.5"

#### DIMENSIONS / SINGLE ARM BODY

/ WIDTH 14 cm / 5.5"  
/ DEPTH 9 cm / 3.5"  
/ HEIGHT 57 cm / 22.4"

#### DIMENSIONS / WALL BRACKET





/ WIDTH 7,5 cm / 3"  
/ DEPTH 5 cm / 2"  
/ HEIGHT 7,5 cm / 3"

#### CONFIGURATIONS

	ARM	
	Double Arm Body	Single Arm Body
BASE		
Free Standing Base	●	
Clamp	●	●
Wall Bracket	●	●

#### PLEASE NOTE

Following variants and colours will be available in stock from March 2018 / Single Arm Body, Clamp, Wall Bracket and Warm yellow.



# HAY

## TECHNICAL SPECIFICATIONS

- / LIGHT SOURCE / LED integrated
- / POWER\* / 5,7W
- / FLUX\* (lumens) / 363LM
- / CCT\* (kelvin) / 3000K
- / CRI\* (1-100) / 85
- / DIMMABLE / Yes
- / POWER SUPPLY / 220-240V AC at 50/60Hz UK/EU  
plug mounted adapter
- / CORD LENGTH / 200 cm
- / SWITCH / Touch dimmer intergrated

\*Measurements taken from production luminaire

## TESTS

- / CE approved: This product has been assessed and  
complies with the essential requirements of the relevant  
European directives.

**LED**  **CE**  **IP20**  

Tested according to the following European EN / IEC  
standards which relate specifically to electrical lighting

products including:


- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

## DOWNLOADS


2D files, 3D files and packshots are available in  
our imagebank at hay.dk.

Please contact HAY for further information  
about Eulumdat.





Photometric and Optical Testing Services Cheltenham Film and Photographic Studios, UK



# HAY

HAY Havnen 1 8700 Horsens Denmark +45 4282 0282 / [www.hay.dk](http://www.hay.dk)