



Ola S

design Paolo Vernier, 2016

Ola chair with four legs base in white or black lacquered steel. Shell available in abs, veneered wood or upholstered with leather, ecoleather, fabric, custom's fabric, hide or regenerated hide.


Ola chair is stackable up to 4 units and in the abs shell version is suitable for the outdoor use.

For an only indoor use we have created the exclusive version "IN" with matt effect.




Finishing and Materials

Structure



Coating



Dimensions



Dimension	cm	inch
A	82	32.3

Dimension	cm	inch
B	50	19.37
C	54	21.3
D	46	18.1

Volumetric Details

Weight 13

Volume 0.29 mc

Package 1

Gallery



Downloads

[Ola catalog \(pdf\)](http://www.midj.com/images/uploads/resources/Midj_2016_catalogo_Ola.pdf) - http://www.midj.com/images/uploads/resources/Midj_2016_catalogo_Ola.pdf

Materials Certifications

Inca Ecoleather UNI 9175:1987

Magic Ecoleather BS 5852-1:1979

Fiore Leather BS 5852 parte 1; ISO 5402>50000 cicli; ISO 105B02 ? 5; ISO 3377-1 ?20 N; ISO 11644 ? 2.5 N/Cm; EN 1021/1-2; EN ISO 17233 -20°; IMO RES A 6528(16)

Vintage Leather UNI EN ISO 105 B02 ?3; ISO 5402>50000 cicli; ISO 3377-1?20; UNI EN ISO 11640 Secco - Dry 50 c ?4 Umido - Wet 20 c ? 3; Sudore - Sweat 20 c ? 3

Hot Fabric	FIRE RETARDANT FABRIC: BS5852:2006 (p. 11 CRIB 5) EN1021-1 EN1021-2 UNI 9175:2010 - classe 1 im COMPOSITION: 100% PES MARTINDALE 45'000 CICLI / CYCLES
Bubble fabric	FIRE RETARDANT FABRIC: BS5852:2006 (p. 11 CRIB 5) EN1021-1 EN1021-2 UNI 9175:2010 - classe 1 im COMPOSITION: 100% PES MARTINDALE 35'000 CYCLES
Mirage Fabric	UNI EN ISO 12947, ISO 12945-2, UNI EN ISO 13934, UNI EN ISO E05-E06, EN ISO 105X12, UNI EN ISO 105 E04, EN ISO 105 B02, UNI EN ISO 105 D01, UNI EN 20105-C01, UNI 8423.
Natural Wool Fabric	CATAS N. 86473/1 25/10/07; CATAS N. 85687/1 28/09/07; BS 5852-1/79; BS 5852-1:1979