



# M E A

'Line of light'


Designed by  
Peter Straka  
Vienna 2007

Light in its most minimal form: the linear lamp as an aesthetic object, anchored at both ends.  
The optional back plate mirrors the reflection.



Process: The base material of the M E A range is brass. The brass is cut and polished. Then all the components are nickel plated and lastly assembled.

## M E A Suspension 100




Type	Suspension light
Material	Solid brass
Environment	Indoors
Cable Length	1500 mm
Dimensions	100/500/300 mm x 57 mm
Weight	1.1kg
Certification	IP20 CE
EU/UK	230 V
Ceiling Rose	2 x round flat Ø 60mm
Lamps	Linear opal LED S14s*, 16.5W, 2700 K, dimmable, 1000 lm, energy class A

040 01 101 15  
040 01 202 12

Polished nickel with dark green fabric cable  
Brushed brass with black fabric cable


\* M E A suspension is available as M E A 100, 50 and 30

M E A  
Wall / Ceiling  
100




Type	Ceiling/wall light
Material	Solid brass
Environment	Indoors
Dimensions	1000 x 22 x 57 mm
Weight	0.6kg
Certification	IP20 CE
EU/UK	230 V
Bathroom	Zone 3
Lamps	Linear opal LED S14s*, 16.5W, 2700 K, dimmable, 1000 lm, energy class A
040 02 101	Polished nickel
040 02 202	Brushed brass

M E A  
Wall / Ceiling  
50




Type	Ceiling/wall light
Material	Solid brass
Environment	Indoors
Dimension	500 x 22 x 57 mm
Cable Length	0.6 kg
Weight	IP20 CE
Certification	230 V
EU/UK	Zone 3
Lamps	Linear opal LED S14s*, 9 W, 2700 K, dimmable, 450 lm, energy class A
040 03 101	Polished nickel
040 03 202	Brushed brass

M E A  
Wall / Ceiling  
30



Type	Ceiling/wall light
Material	Solid brass
Environment	Indoors
Dimension	300 x 22 x 57 mm
Cable Length	0.6 kg
Weight	IP20 CE
Certification	230 V
EU/UK	Zone 3
Lamps	Linear opal LED S14s*, 6 W, 2700 K, dimmable, 250 lm, energy class A
040 04 101	Polished nickel
040 04 202	Brushed brass

M E A  
Wall / Ceiling  
Plate 100




Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimensions 1045 x 75 x 58 x 2 mm  
Weight 1.6kg  
Certification IP20 CE  
EU/UK 230 V  
Bathroom Zone 3  
Lamps Linear opal LED S14s\*, 16.5W, 2700 K, dimmable, 1000 lm, energy class A

040 05 101

Polished nickel

M E A  
Wall / Ceiling  
Plate 50




Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimensions 545 x 75 x 58 x 2 mm  
Weight 0.6 kg  
Certification IP20 CE  
EU/UK 230 V  
Bathroom Zone 3  
Lamps Linear opal LED S14s\*, 9 W, 2700 K, dimmable, 450 lm, energy class A

040 06 101

Polished nickel

M E A  
Wall / Ceiling  
Plate 30




Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimension 345 x 75 x 58 x 2 mm  
Cable Length 0.6kg  
Weight IP20 CE  
Certification 230 V  
EU/UK Zone 3  
Ceiling Rose Linear opal LED S14s\*, 6 W, 2700 K, dimmable, 250 lm, energy class A  
Lamps

040 07 101

Polished nickel

M E A  
Wall Base /  
Ceiling 100




Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimensions 1045 x 75 x 77 mm  
Weight 1.6kg  
Certification IP20 CE  
EU/UK 230 V  
Bathroom Zone 3  
Lamps Linear opal LED S14s\*, 16.5W, 2700 K, dimmable, 1000 lm, energy class A

040 08 101

Polished nickel

M E A  
Wall Base /  
Ceiling 50




Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimensions 545 x 75 x 77 mm  
Weight 0.6 kg  
Certification IP20 CE  
EU/UK 230 V  
Bathroom Zone 3  
Lamps Linear opal LED S14s\*, 9 W, 2700 K, dimmable, 450 lm , energy class A

040 09 101

Polished nickel


M E A  
Wall Base /  
Ceiling 30





Type Ceiling/wall light  
Material Solid brass  
Environment Indoors  
Dimensions 345 x 75 x 77 mm  
Weight 0.6 kg  
Certification IP20 CE  
EU/UK 230 V  
Bathroom Zone 3  
Lamps Linear opal LED S14s\*, 6 W, 2700 K, dimmable, opal 250 lm, energy class A

040 10 101

Polished nickel

M E A Wall / Ceiling 100 Mirror		Type	Ceiling/wall light
		Material	Solid brass
		Environment	Indoors
		Dimensions	1000 x 48 x 58 mm
		Weight	0.6kg
		Certification	IP20 CE
		EU/UK	230 V
		Bathroom	Zone 3
		Lamps	Linear opal LED S14s*, 16.5W, 2700 K, dimmable, 1000 lm, energy class A
		040 11 101	Polished nickel
		040 11 202	Brushed brass

M E A Wall / Ceiling 50 Mirror		Type	Ceiling/wall light
		Material	Solid brass
		Environment	Indoors
		Dimension	500 x 48 x 58 mm
		Cable Length	0.6 kg
		Weight	IP20 CE
		Certification	230 V
		EU/UK	Zone 3
		Lamps	Linear opal LED S14s*, 9 W, 2700 K, dimmable, 450 lm, energy class A
		040 12 101	Polished nickel
		040 12 202	Brushed brass

M E A Wall / Ceiling 30 Mirror		Type	Ceiling/wall light
		Material	Solid brass
		Environment	Indoors
		Dimension	300 x 48 x 58 mm
		Cable Length	0.6 kg
		Weight	IP20 CE
		Certification	230 V
		EU/UK	Zone 3
		Lamps	Linear opal LED S14s*, 6 W, 2700 K, dimmable, 250 lm, energy class A
		040 13 101	Polished nickel
		040 13 202	Brushed brass

\* Under unfavorable conditions these lamps can lead to acoustic noise. In case of resonance even low noise can cause audible effect. The installation as well as the dimmer or the transformer (harmonics or electronic resonance) are possible influencing factors.

\*\* Please contact sales@kaia.at for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connection with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.