

Palma

Design by Antoni Arola.

Reference

3702.

Application

Wall Lamps

Installation type

Surface

Description

Vibia presents a horizontal wall lamp. It is expressed in a different way to the classical globe, new horizontal relationships at a large scale combined with vegetation.

Diffuser

Blow-glass diffuser

Materials

Profile: Aluminum

Diffuser: Blown-glass

Flowerpot: PMMA (thermoplastic polymer)

Finish




3702-18 Graphite (ADAPTA RF 9913 WX)



3702-93 White (RAL 9016)

Sketch



Electrical characteristics

2 x LED 4,6W 500mA

Total 9.2 W



VIBIA



Light source: 2700K CRI >90

Fixture: 685.5 lm 74.51 lm/W

Driver included: CC - Constant Current 500 mA 230V 50/60Hz

Electronic dimming: 1-10V PUSH

Optional dimming: DALI

Technical characteristics

- Plants not included

Physical characteristics

1 Box / 0.21 x 0.31 x 0.94 m. / Vol. 0.0597 m³ /

Gross weight 3.9 kg. / Net weight 2.8 kg.


Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency : 1

Coordinate system : CG

Total flux : 576.51 lm

Maximum value : 68.00 cd/klm

Light position : C=270.00 G=5.00

Symmetry on the planes : Symmetrical planes

270-90

Isolux : Isolux (Floor)

Light position :

X=0.00ft Y=0.00ft Z=8.20ft

Certificates

