Grand Relax

Antonio Citterio, 2019



Grand Relax

Grand Relax is a luxurious reclining lounge chair combining outstanding comfort with compact dimensions and a classic understated aesthetic. The exceptional seating experience offered by this chair stems from the harmonious interplay of diverse elements and its conception as a leather-upholstered furnishing. High-quality leather covers encase the soft seat and back cushions, which sit loosely on the lounge chair. They snugly envelop the user and yet always return to their original shape. When sitting down, the user sinks slowly into the cushions, while a concealed integrated mechanism absorbs the weight and moves the chair into a reclined position. The seat and backrest move independently in synchronised motion. A control knob can be rotated to adjust the resistance of the mechanism, and the backrest can be locked at any angle. Mounted on an elegant four-star base made of aluminium, the lounge chair can be rotated 360°. A matching ottoman is available as a footrest or additional seating option.

Grand Relax features a combination of choice materials, such as cast aluminium and high-quality leather. The lower half of the outer backrest shell is covered with embossed split leather, forming a type of shield that enfolds the user, while defining the contours of the lounge chair. The combination of split leather and Leather Premium creates a dynamic contrast between the armchair's inner and outer faces. Split leather is also used to cover the understructure of the seat and ottoman.

Grand Relax has a compact yet inviting appearance. The carefully designed proportions of the low-slung body, long armrests and upward tapering backrest visually emphasise the dynamic seating experience and emanate a comfortable feeling of security.

Materials

- **Seat/body:** moulded polyurethane foam with plastic frame and integrated synchronised mechanism with locking device.
- Seat heights: 415 mm (310 mm with applied load, measured in accordance with EN 1335-1) or 465 mm (360 mm with applied load, measured in accordance with EN 1335-1).
- **Base:** four-star swivel base in die-cast aluminium, polished or powder-coated finish.
- Seat cushion: chamber cushion filled with polyurethane foam lozenges and ball fibres.
- Back cushion and neck cushion: chamber cushion filled with polyurethane foam cubes and a mix of goose feathers and down.
- Note: The back shell, the understructure of the seat and ottoman, and the adjustment knob for backrest resistance are covered in Leather Forte (decorative split leather).
- Note: The base version determines the finish of the other metal parts (mechanism control lever, cap on resistance adjustment knob).
- Note: total height with headrest in highest position 1080 or 1130 mm.
- Ottoman: MDF panel covered with polyurethane foam and polyester fleece; chamber cushion filled with polyurethane foam lozenges and ball fibres.
- **Base:** non-swivel four-star base in die-cast aluminium, polished or powder-coated finish.
- **Glides:** fitted with plastic glides for soft floors or felt glides for hard floors.

DIMENSIONS



COLOURS AND MATERIALS



COLOURS AND MATERIALS

Leather Premium Home/Office, L40

Leather Premium is a relatively smooth Material Semi-aniline nappa cowhide leather with a flat grain and leather with a very fine top sheen. It is dyed-through and soft and supple feel lightly pigmented. The semi-aniline leather is soft to the touch, like a leather glove. Leather Premium is available in Fastness to light Type 5 22 colours. Thickness 1.1–1.3 mm Fastness to rubbing Grade 4 dry and wet 72 66 69 59 74 jade marron olive snow nero 58 64 77 93 75 cement khaki brown brandy camel 65 61 68 22 62 71 granite umbra grey chocolate red stone ochre sand 60 67 87 97 63 **73** clay smoke blue asphalt plum cognac cashew

Leather Forte (Deco) Home/Office, L20

Leather Forte (Deco) is of the same quality as Leather Forte, but features a decorative finish that is applied to the leather in a patented finishing process.

Material	split leather with decorative finish
Fastness to light	Туре б
Thickness	1.8-2.0 mm

vitra.



info@vitra.com | EN 2019

vitra.

