DATASHEET		Type: Name: ID: Designed by:	ELO Pendent light PC1326 Filippo Mambretti	Download
Description	textures of BROKISGL framing, comprises thre can be locked in differe offers a variety of strikin the interior and lend it a name ELO means 'ring grand decorative poten concept, a sculpturesqu as the demands of the BROKIS collection that fusing, which gives rise arches. The primary ma the principles of upcycl ecological manufacturin crafted from aluminium structural integrity while Illumination is provided curvature of the arches the BROKISGLASS an of light no matter what be deployed in various	ELO, an innovative new suspension light contextures of BROKISGLASS with elegant alur framing, comprises three articulated arches, can be locked in different attitudes. The uniq offers a variety of striking scenographic com the interior and lend it a dominant design ele name ELO means 'ring' or 'bond', words tha grand decorative potential and remarkable v concept, a sculpturesque entity that can be r as the demands of the setting evolve. ELO is BROKIS collection that uses the glassmakin fusing, which gives rise to the graceful curve arches. The primary material, BROKISGLAS the principles of upcycling, sustainability, and ecological manufacturing. The glass is set ir crafted from aluminium, which ensures outsi structural integrity while reducing the overall Illumination is provided by flexible LEDs that curvature of the arches, underscoring the inf the BROKISGLASS and effecting a charmin of light no matter what configuration the piece be deployed in various applications, either a linear light or, thanks to its versatility and con		


Tech. description

Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/ERxiQ2qEmu1Kh7ouX_XAP7AB5SpGFBmreJwQjDui5MWxOw

CONSTRUCTION SPECIFICATION

Weight: Construction material: Cord length [mm]: Mounting: Environment: -- kg glass, metal 3 m Ceiling Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]:
Freqvency [Hz]:
Max. power [W]:
Coverage IP:
Socket:
Light source:
Energy class:

100 - 240 V 50-60 Hz 140 W 20 LED module -E

CERTIFICATIONS





BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC ORG ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ to interiors of large private homes and commercial spaces such as hotels, restaurants, and offices



CM16243



BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC ORG ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ

DATASHEET FIXING


INNER FIXTURE

Download



Drawing

Hole placement





BROKIS S.R.O. ŠPANIELOVA 1315/25 163 00 PRAHA 6 - ŘEPY CZECH REPUBLIC ORG ID 64940799 VAT ID CZ64940799 C 42174 MĚSTSKÝ SOUD V PRAZE TEL +420 567 211 517 TECHNICAL@BROKIS.CZ INFO@BROKIS.CZ WWW.BROKIS.CZ